Practical Manual

on

Soil & Water Conservation Engineering

AAE 132-2 (1+1)

B.Sc. (Hons.) Agriculture, II Semester

Dr. Saurabh Singh Dr. Smita Jaiswal



2024

College of Agriculture, Rani Lakshmi Bai Central Agricultural University Jhansi - 284003 Compiled by :

Dr. Saurabh Singh

Dr. Smita Jaiswal

Published: 2024

No. of copies: 300

Price: Rs. 105/-

© RLBCAU, Jhansi

Syllabus AAE132 – 2 (1+1)

General status of soil conservation in India. Calculation of erosion index. Estimation of soil loss. Measurement of soil loss. Preparation of contour maps. Design of grassed water ways. Design of contour bunds. Design of graded bunds. Design of bench terracing system. Problem on wind erosion.

Name of Student	
Roll No.	
Batch	
Session	
Semester	
Course Name :	
Course No.:	
Credit	
Published: 2024	
No. of copies:	
Price: Rs.	
CER	TIFICATE
This is to certify that Shri./Km	ID
No	has completed the practical of
course	course No as per
the syllabus of B.Sc. (Hons.) Agriculture	/ Horticulture/ Forestrysemester in the
yearin the respective lab/field of	College.
Date:	Course Teacher

CONTENTS

S. No.	Exercise	Page No.	Signature
1.	To study about general status of soil conservation in India	4-5	
2.	To study about various types of soil erosion	6-10	
3.	To study about erosion control measures	11-16	
4.	To study about erosivity and erodibility	17-19	
5.	To calculate the erosion index	20-24	
6.	To study about biological methods to control erosion	25-28	
7.	To study about engineering measures to conserve the water and erosion	29-34	
8.	To study about various water harvesting techniques	35-40	
9.	To study about soil loss estimation models	41-46	
10.	To study about measurement of soil loss	47-49	
11.	To study the various steps involved in design of grassed waterways	50-51	
12.	To design a parabolic shape of grassed waterways	52-53	
13.	To study the various steps involved in design of bunds	54-56	
14.	To study about features of graded bunds	57-60	
15.	To study design of bench terracing system	61	
16.	To prepare the contour maps	62-65	
17.	To study about mechanics of wind erosion	66-68	
18.	To solve the problems on wind erosion	69-72	
	Appendix	(i)	

Objective: To study about general status of soil conservation in India.			
Soil degradation:			



Objective: To study about various types of soil erosion.
Soil Erosion Principle:
Factors affecting soil erosion:
Types of Erosion:
Cooled and and an a
Geologic erosion:
Accelerated erosion:

Water erosion:	
Mechanics of water erosion:	
Raindrop or Splash erosion:	
Sheet erosion:	

Dill amagians				
Rill erosion:			 	
Gully erosion:			 	
Stream bank ero	sion:		 	
Glacial erosion:			 	
		_ _	 	_

Snow erosion:
Organic erosion:
A /1
Anthropogenic erosion:



Objective: To study about erosion control measures.
Gully control measures:
Principle:
Control by vegetation:
Control by structures:

Classification of check dams:	
	•
	•
	-
	_
	-
	-
	-
	_

Permanent gully control structures:
Drop-inlet spillway:

Straight drop spillway:	

Chute spillway:	

Objective: To study about erosivity and erodibility.	
Erosivity:	
Erodibility:	

Estimation of erosivity from rainfall data:
EI ₃₀ index method:
E130 macx method.
KE>25 index method:

Objective: To calculate the erosion index.

Problem 1: Using the following rainfall data of a particular storm, determine 30, 60 and 120-minutes maximum rainfall depths and intensities and also compute rainfall erosivity index of the storm by EI_{30} and KE > 25 methods.

Time	0	5	10	15	20	25	30	35
(min)								
Rainfall	0	0.05	0.87	0.26	0.10	0.49	1.23	1.28
(cm)								
Time	40	45	50	55	60	65	70	75
(min)								
Rainfall	1.28	1.31	0.41	0.79	1.69	0.92	1.00	0.92
(cm)								
Time	80	85	90	95	100	105	110	115
(min)								
Rainfall	1.38	1.95	1.31	1.13	0.64	0.64	0.56	0.38
(cm)								
Time	120	125	130	135	140	145	150	
(min)								
Rainfall	0.23	0.23	0.31	0.08	0.03	0.05	0.03	
(cm)								

Solution:	

ı		1

Objective: To study about biological methods to control erosion.
Contour cultivation:
Strin aranning.
Strip cropping:

1
1
1

Cropping systems:

Objective: To study aboreosion.	out engineering	5 measures to	consci ve the	water and
Bunding:				
Types of bund:				
Contour bunding:				
Types of contour bunding:				

Graded bunding:	 	
Sinucu Sunuing.		
Types of graded bunding:	 	
Types of graded bunding:	 	
Types of graded bunding:	 	
Types of graded bunding:	 	
Types of graded bunding:	 	
Types of graded bunding:		
Types of graded bunding:	 	 ··
Types of graded bunding:		 ··
Types of graded bunding:		 ··
Types of graded bunding:		 ··
Types of graded bunding:		
Types of graded bunding:		
Types of graded bunding:		 ··
Types of graded bunding:		 ··
Types of graded bunding:		
		 ··
Types of graded bunding:		 · ·
		 ··
		 ··
		 ··
		 ··
		 ··

Graded trenches:	 	
Staggered trenches:	 	
Tarracing		
Terracing:	 	

Bench terrace:		 	
Hill type bench terra	ces:	 	

1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
<u> </u>	
Irrigated type henc	ch terraces:
irrigated type bene	in terraces.

Orchard type bench terraces:	

Objective: To study about various water harvesting techniques.				
Water harvesting:				

	-
	_
	_
	_
	_
	_
	_
	_
	_
	-
	-
	-
	-
Catchment area treatments:	
	-
	-
	_
	-
	_
	_
	_
	_
Roof top water harvesting:	
·	_
	_
	_
	_
	_
	-
	-
	-

Micro-catchment system:	
Negarim micro catchments (for trees):	
Contour bunds (for trees):	

Contour ridges (for crops):
Semi-circular bunds (for range and fodder):
Macro catchment system of rainwater harvesting:
Flood water harvesting:
Troot water har vesting.
Water harvesting using storage structures:
The country assumed assumed as a contract of the country assumed assum

Water harvesting through spreading of water
Water harvesting through spreading of water:

Objective: To study about soil loss estimation models.	
Universal Soil Loss Equation (USLE):	
Rainfall Factor:	
Soil Erodibility Factor:	

Length and Steepness of Slope Factor:	
Crop Management Factor:	
•	
Conservation Practices Factor:	

Application of UCLE.
Application of USLE:

Limitations of USLE:
Problem 1: Calculate the annual soil loss from the field subjected to soil erosion problem, for the following informations: Rainfall erosivity index = 1000 m tonnes/ha
Soil erodibility index = 0.20
Crop management factor = 0.50
Conservation practices factor = 1.0
Slope length factor = 0.10 Also explain, how the soil loss is affected by adopting soil conservation practices.
Also explain, now the son loss is affected by adopting son conservation practices.
Formula used:
Solution:

Problem 2:Calculate the topographic factor for use in USLE for the land slope of 5% and slope length as 150 ft.

Formula used:	
Solution:	
Modified USLE:	

Revised USLE:	

Objective: To study about measurement of soil loss.
Runoff plots:
·
Multi-slot divisor:

Coshocton wheel silt	compler:		_
Coshocion which shi	sampici		

Objective:To	study	the	various	steps	involved	in	design	of	grassed
waterways.									
Grassed waterw	ays:								
Steps involved in	n design	of gra	ssed water	rways:					
									-





Objective: To design a parabolic shape of grassed waterways

Problem 1. Design a parabolic shape diversion drain to divert the water of upper catchment area of 20 ha. The channel slope to be used is 8%. The other details are as follows:

(1) Diversion has good vegetation.
(2) Runoff coefficient (C) =0.70
(3) Rainfall intensity (I) = 20 mm/h
(4) Manning's roughness coefficient (n) = 0.04

Objective: To study the various steps involved in design of bunds.		
Design criteria for bund construction:		
Design specification of bunds:		





Objective: To study design of bench terracing system.		
Design of bench terrace:		
Type of bench terrace:		
Terrace spacing:		

Width of bench terrac	e:	

Terrace cross-section:	,


Area lost in bench terracing:

Objective: 10 study about features of graded bunds			
Graded bunding			
Main functions			
Limitations			

Objective: To prepare the contour maps.

Problem 1: Draw the contour lines at the following elevations (all numbers are given in meters above sea level):


250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750



(a) Calculate the gradient from point A to point B		
(b) Calculate the gradient from point A to point C(c) Draw profile from C to B		

Problem 2: Draw in contour lines at the following elevations (all numbers are given in meters above sea level):

450, 400, 350, 300, 250, 200, 150, 100, 50



- (a) Calculate the gradient from point X to point Y
- (b) Calculate the gradient from point X to point C
- (c) Draw profile from C to D
- (d) What are the areas susceptible for erosion

 ,
 ,
 ,

Objective:To study about mechanics of wind erosion.
Mechanics of wind erosion
Differentiate between wind break and shelterbelt

Principles of wind erosion co	ontrol and its control measu	res:
Principles of wind erosion co	ontrol and its control measu	res:
Principles of wind erosion co	ontrol and its control measu	res:
Principles of wind erosion co	ontrol and its control measur	res:
Principles of wind erosion co	ontrol and its control measur	res:
Principles of wind erosion co	ontrol and its control measur	res:
Principles of wind erosion co	ontrol and its control measur	res:
Principles of wind erosion co	ontrol and its control measur	res:
Principles of wind erosion co	ontrol and its control measur	res:
Principles of wind erosion co		res:

Objective: To solve the problems on wind erosion.

Problem 1: Find out the distance of protection from a wind break of 18 m height. The angle of deviation of the prevailing wind perpendicular to the wind break is 22°. The actual wind velocity at 15 m height is 14 kmph and the minimum wind velocity at 15 m height, capable of moving the soil fraction is 18 kmph.

Given data:	
Formula used:	
Tormura uscu.	
Solution:	

Result:	
Problem 2	: Calculate the area of protection from a wind break of 250 m in length and 15 m height. The angle of deviation of the prevailing wind perpendicular to the barrier is 25°. The actual wind velocity is 13.5 kmph at 15 m height and minimum wind velocity that is capable of moving the soil fraction is 15 kmph at 15 m height.
Given data	a:

Formula used:	
Solution:	

Result:	

Rational formula

$$Q_P = 0.28 \times C \times I \times A$$

Where,

 $Q_p = Peak runoff rate (m^3/sec)$

C = Runoff coefficient (dimensionless)

I = Rainfall intensity (mm/hr)

A = Drainage area (km²)

Methods of rainfall erosivity

- 1. EI₃₀ Index method
- 2. KE > 25 Index method

$$KE = 916 + 331\log_{10}I$$

Rainfall erosivity is given by:

$$EI_{30} = KE \times I_{30}$$

Relationship between kinetic energy and rainfall intensity

$$E_k = 210.3 + 89 \log_{10} I$$

In which, E_k is the kinetic energy (metric-tonnes per hectare per cm of rain) and I is the rainfall intensity (cm/h). Wind erosion

$$d = 17h \frac{V_m}{V} Cos \theta$$

D = distance of area protection

h = barrier height its unit is same as d

 V_m = minimum (threshold) wind velocity at the height of 15 m required to move the most erodible soil particles.

V = actual wind velocity at the height of 15m

 Θ = angle of deviation of prevailing wind from perpendicular to the wind break.

Universal soil loss equation

$$A = R K LS C P$$

Where,A = computed soil loss, expressed in t/ha/year for a given storm.

R = Rainfall erosivity factor, which is the measurement of the kinetic energy of a specific rain event or an average year's rainfall.

K = soil erodibility factor.

L = slope length factor

S = slope gradient factor

C = cover or crop rotation factor.

P = erosion control practices or soil conservation practices factor.